

检测报告

TESTING REPORT

委托单位: 瓯江实验室
Requesting Facility _____

样品名称: 5份活体小鼠
Specimen Description _____

江苏集萃药康生物科技股份有限公司微生物检测中心
Microbiological Detection Center of GemPharmatech Co.,Ltd



样品信息

SAMPLE INFORMATION

样品类型及数量 Sample Type & Quantity	5 份活体小鼠	品系 Strain	/
样品状态 Sample Status	无异常	批次号 Batch No.	2501049
客户样品标记 Client sample ID	201-1#、201-2#、210-5#、 212-7#、211-2#	内部样品标记 Internal Sample ID	GP250100496~GP250100500
协议/合同编号 Contract No.	GFW0420241201176	收样日期 Receiving Date	2025-02-21
检测日期 Testing Date	2025-02-21~2025-02-27	报告日期 Reporting Date	2025-02-27

方法&结果判定

METHOD & RESULT DETERMINATION


检测项目 TEST ITEMS	方法 METHOD	检测依据 STANDARD	阳性 POS	可疑 IND	阴性 NEG
沙门菌 Salmonella spp.	培养 Culture	GB/T14926.1-2001	0	0	5
鼠棒状杆菌 C. kutscheri	培养 Culture	GB/T14926.9-2001	0	0	5
嗜肺巴斯德杆菌 P. pneumotropica	培养 Culture	GB/T14926.12-2001	0	0	5
肺炎克雷伯杆菌 K. pneumoniae	培养 Culture	GB/T14926.13-2001	0	0	5
绿脓杆菌 P. aeruginosa	培养 Culture	GB/T14926.17-2001	0	0	5
支原体 Mycoplasma spp.	聚合酶链式反应 PCR	GB/T41699-2022	0	0	5
泰泽病原体 Tyzzer's organism	酶联免疫吸附法 ELISA	GB/T14926.10-2001	0	0	5
小鼠肝炎病毒 Mouse hepatitis virus	酶联免疫吸附法 ELISA	GB/T14926.22-2001	0	0	5
仙台病毒 Sendai virus	酶联免疫吸附法 ELISA	GB/T14926.23-2001	0	0	5
小鼠肺炎病毒 Pneumonia virus of mice	酶联免疫吸附法 ELISA	GB/T14926.24-2001	0	0	5
呼肠孤病毒III型 Reovirus type 3	酶联免疫吸附法 ELISA	GB/T14926.25-2001	0	0	5
小鼠细小病毒 Minute virus of mice	酶联免疫吸附法 ELISA	GB/T14926.28-2001	0	0	5
弓形虫 Toxoplasma gondii	酶联免疫吸附法 ELISA	GB/T18448.2-2008	0	0	5
体外寄生虫 Ectoparasites	镜检 Micro	GB/T18448.1-2001	0	0	5

集萃药康
 微生物
 检测


检测项目 TEST ITEMS	方法 METHOD	检测依据 STANDARD	阳性 POS	可疑 IND	阴性 NEG
全部蠕虫 All Helminths	镜检 Micro	GB/T18448.6-2001	0	0	5
鞭毛虫 Flagellates	镜检 Micro	GB/T18448.10-2001	0	0	5
纤毛虫 Ciliates	镜检 Micro	GB/T18448.10-2001	0	0	5

 主检人 Tested by: 

日期 Date: 2015-02-27

 审核人 Reviewed by: 


日期 Date: 2015-02-27

 批准人 Approved by: 

日期 Date: 2015-02-27

 技服
 检测中
 报告书

检测结果均为阴性
以下空白



声 明

STATEMENT

- 1、本检测报告未加盖本公司印章无效。
The report is invalid without an official stamp.
- 2、本检测报告无主检、审核、批准签字无效。
The report is invalid without the signatures of the main tester, the reviewer and the approver.
- 3、本检测报告涂改、漏页、换页无效。
The testing report is invalid if it is altered, deleted and changed.
- 4、复制报告未重新加盖本公司印章无效。
The copy report is invalid without an official stamp.
- 5、本检测全部在本检测中心实验室内完成。
All tests were performed in this laboratory.
- 6、本检测报告仅对客户所送检样本有效。
Test results shown in this report only reflect the samples at the time received by the lab.
- 7、对本检测报告有任何争议或需要说明之处,委托方请于收到报告后十五日之内用书面形式向检验单位提出,逾期不予受理。
If you have any dispute to this report, please demur to the Microbiological Detection Center of GemPharmatech Co.,Ltd within 15 days after receiving the test report.
- 8、未经本检测中心书面许可,委托方不得擅自使用此检测结果进行不当宣传。
Without written permission from the Microbiological Detection Center of GemPharmatech Co.,Ltd, results in this report cannot be used for any commercial or advertising purposes by any parties, including the customer.

地 址: 江苏省南京市江北新区学府路 12 号
联系电话: 025-58500993

****报告结束****